



# Township / Range Lines:

South line of Township 19N in Ranges 1E to 13E

East line of Ranges 1E to 12E in Township 19N



Indiana Historical Land Survey Documents project - LW & CJH, 2021

Surveyed: 11/1819

No 16 James (4)

Sir How do you do?  
is pretty much as I please!  
Have you been in good  
health since I saw you?

to James, Joseph Atwood

Book 4<sup>th</sup>

Containing


Townships

N<sup>o</sup> 19. N.

East of Meridian

John McDonald





V 610  
North between 12 & 13 E 19 N  
Section 31 & 36

2262 Beech 12 hrs

4000 Set 1/2 Section port from  
which a Beech 20 hrs S 36  
32 hrs & 21 hrs 10 N 31 links

5471 Beech Elm 15 hrs

8000 Set port corner of Section  
25 & 36 19 N E 12 E from  
which a Beech 16 hrs S  
88 E 19 links & 24 hrs N  
82 N 19 links

3 over good farming land  
Tamar Beech Sugar ash &c

North between 12 & 13 E 19 N  
Section 25 & 30

2607 Sycamore 20 hrs

4000 Set 1/2 Section Section port  
from which a poplar 30  
hrs S 11 N 21 hrs & Beech 13  
hrs N 16 E 31 links

5425 Hickory 18 hrs

6000 Sit post corner of sections 24  
925 Sugar 12 E from which  
a Hickory 24 W S 20 E 17 W  
W 24 W S 37 E 13 E

Over level with land

Timber Rich Elm Ash  
Hickory &c

North between R 12 & 13 Sugar  
Sections 19 & 24

1705 Sugar 12 W

4000 Sit 1/2 section post from  
which an Ironwood 8 W  
S. 1 W 24 E & Beech 10 W  
or 22 E 15 E

59.28 Ash 30 W

3000 Sit post corner of sections  
13 & 24 Sugar 12 E from  
which a Beech 9 W S  
25 W 25 E & Sugar  
20 W or 13 E 12 E

Over good farming land  
Timber Rich Sugar Ash  
&c under trees

North Between R 12 & 13 E T 19 S  
Section 13 & 18 3

40 00 Set 1/2 Section post from  
which a Bush 14 hrs S 10 E  
49 links & Hickory 15 hrs N  
63 W 29 links

60 28 Elm 18 hrs

80 00 Set post corner of Section 12  
& 13 E 19 S Set 12 E from  
which a Bush 18 hrs S 20 E  
20 links & as 8 hrs N 30 W  
27 links

Over good farming land  
Timber Bush Sugar Ash &c  
under Stone

South Between R 12 & 13 E T 19 S  
Section 7 & 12

24 00 Brook 8 hrs N W

33 37 Bush 10 hrs

40 00 Set 1/2 Section post from  
which a Bush 13 hrs S 17 E 34  
links & as 14 hrs N 31 W 34 links



4  
55.61 Buck 14 hrs

30.00 to port section 1412 1900

12 E from which an Elm 10  
hrs 47 E 9 links & Oak 14 hrs &  
7 W 26 links

3 over level land timber  
Buck Elm ash &c

North Between R 12 & 13 E 1900  
Section 146

3.00 Brook 10 lks & E

15.17 Oak 30 hrs

37.50 Brook 8 lks W

40.00 Sec 1/2 Section port from which  
an Oak 12 hrs 823 E 27 lks  
& as 14 hrs. N 83 W 18 links

76.92 to port corner of Sections  
1-6. 31.36 T 1900 2000 R 12 &  
13 E from which a Buck  
12 hrs N. 41. E 5 links & as  
6 hrs S 27 E 17 links

3 over land as before  
Lamin H. H. Donnell

West Between T 18 & 19 N R  
13 E Set 5 & 32

31100 West of the Boundary set  
Post for corner of Section  
31 & 32 from which a  
Beech 30 inch Diam bears  
N 36 E 31 L & Do 12 inch  
Di bears S 82 W 22 Lks

Rich Land Timber Beech  
Sugar ash Walnut &c  
undergrowth Spice

West Between T 18 & 19 N R  
13 E Set 6 & 31

401100 Set 1/4 Post from which a  
Beech 36 inch D bears  
3 Lks Do 8 inch Diam bears  
S 7 E 25 Lks

481146 Hickory 18 inch Diam

701100 intersect the Range line be-  
tween R 12 & 13 E T 18 & 19 N  
at the corner

*[Faint, illegible handwriting visible through the paper]*

V. 6.00

West Between T 14 & 19 N R

12 E Surt 14 36

37"15 iron wood 4 inch D

40"100 Set 1/4 post from which  
a Beech 10 Diam bears N 40  
E 1 Lk & poplar 12 inch Di  
bears S 21 W 2 L

50"65 W oak - 4 1/2 inch Diam

50"100 Set post for corner of 35  
& 36 from which a Beech  
12 inch D bears S 52 W 2 1/2 L  
& Do 8 Diam bears N 69 E  
26 L

Level Rich Land Timber  
Beech Sugar ash poplar  
yc undergrowth Spruce

West Between T 14 & 19 N R 12  
E Surt 2 & 35

1"68 ash 24 inch Di

35"150 Branch 15 Ls N. W

40"100 Set 1/4 post from which a  
Beech 24 Diam bears N 60 W  
24 Ls & iron wood 10 D bears  
S 72 E 11 L

74"82 Beech 24 inch Diam

80"100 Set post for corner of Surt  
34 & 35 from which a Beech  
24 inch Diam bears N 60 W 9 L  
& Do 10 Diam bears S 43 E 18 L  
Soil and timber as above



West Between T 18 & 19 N R 12 E  
 8 Set 34 34  
 20" 75 Beech 24 inch Di  
 40" 100 Set 1/4 part from which a Beech  
 24 inch Di bears S 34 W 16 Ls & Do  
 15 inch Di bears N 60 E 18 Ls  
 50" 130 Branch 15 Ls N. W  
 64" 88 Sugar 24 Diem  
 80" 100 Set part for corner of Set  
 33 & 34 from which a Sugar  
 24 inch Diem bears S 54 W 16 Ls  
 & Beech 10 inch Diem bears N 46 E 3 Ls  
 (3) The same as above

West Between T 18 & 19 N R 12  
 E Set 4 & 83  
 36" 36 Beech - 24 inch Diem  
 40" 100 Set 1/4 Set part from which  
 a Beech 12 inch Di S 58 E 19 Ls  
 & Do 24 inch Diem bears N 72 W  
 24 Ls  
 72" 30 Oak - 36  
 80" 100 Set part for corner of  
 Sections 32 & 83 from which  
 a Beech 24 inch Diem bears  
 S 28 W 6 Ls & Hickory 18  
 inch Diem bears N 20 E 26 Ls  
 (3) The same as above

West Between T 18 & 19 N R 12 E  
Sections 5 & ~~32~~ 32 9

15" 47 Buckeye - 24 Dic

40" 100 Set  $\frac{1}{4}$  Set post from which  
a Buck 30 bears N 52 E 20 ft  
& Buckeye & Dic bears South  
11 ft

47" 15 Intersect North line Between  
R 11 & 12 E T 18 & 19 N 2.4 7 ft  
South of Temporary post  
and set post for corner of  
T 18 & 19 N R 12 & 13 E Set  
1.6. 31 & 36 from which a Elm  
16 inch Dic bears N 60 W 10 ft  
& Buck 4 inch Dic bears S 51  
E 9 ft

3 Same as above  
November 12<sup>th</sup> 1819

10 Variation C. 10  
North Between R 11 & 12 E 2 1908  
Sections 31 & 36

36015 Beech - 8 inch Diam

40000 Set 1/4 Section post from  
which a Beech 24 inch Diam  
bears @ 10 W 21 L & Do 24 Di  
bears @ 45 E 15 L

40000 Set post for corner of  
Sections 24 & 36 from  
which a Beech 10 inch Diam  
bears @ 33 W 15 L & Do  
15 inch Diam bears @ 88 E  
22 L

Rich Land Timber  
Beech Sugar ash &c under  
growth Spice

North Between R 11 & 12 E 2  
1908 Sections 24 & 30

241172 Beech 12 inch Diam

40000 Set 1/4 Set post from  
which a ash 12 inch Diam  
bears East 3 L & Beech  
5 inch Diam bears @ 80 W  
5 L

41188 Beech 12 inch Diam

40000 Set post for corner of  
Sections 24 & 25 from which  
a Beech 24 inch Diam bears @ 55 W  
25 L & Do 24 Diam bears @ 72 E  
50 L

Same as above

North Between R 11 & 12 E T 19  
N Section 19 & 24

32"25 Beech - 12 inch Dia

40"00 Set  $\frac{1}{4}$  Sect post from  
which Beech 10 inch Dia  
bears N 67 W 30 Ls & Do  
10 inch Dia bears N 82 E  
22 Ls

53"50 Branch 10 Ls N. W

40"00 Set post for corner of Sec  
13 & 24 from which Beech  
4 inch Dia bears N 43 W  
28 Ls & Do 10 inch Dia bears  
N 68 E 31 Ls

$\frac{2}{3}$  Land and Timber as above

North Between R 11 & 12 E T 19 or  
Sect 13 & 15

33"50 Branch 15 Ls - N. W

37"39 Sugar - 24 inch Dia

40"00 Set  $\frac{1}{4}$  Sect post from which  
a Beech 10 Dia bears N 29 E 11 Ls  
& Do 12 inch Dia bears S 40 W  
15 Ls

64"00 Branch 10 Ls N. W

40"00 Set post for corner of Sect  
12 & 13 from which a ash 30 Dia  
bears S 27 W 14 Ls & Do N 27 E  
15 Ls

$\frac{2}{3}$  Rich Land Timber as above



12  
North Between R 11 & 12 E T 19  
Set 7 & 12

20" 93 ash - 24 Dia

31" 50 Branch 10 Ls N. W

37" 100 Branch 10 Ls N. W

40" 100 Set 1/4 Section part from  
which a Sugar 18 ins Di  
beams N 72 E 5 Ls & Beech  
10 ins D beams S 88 W 19 Ls

57" 78 Walnut - 24 ins Dia

63" 50 Creek 50 Ls N. E

40" 100 Set part for corner of Set  
18 12 from which a ash  
10 ins D beams N 73 W  
31 Ls & Hickory 12 Dia beams  
S 68 E 74 Ls  
Rich Land Timber Beech  
Sugar ash Walnut &c  
undergrowth Spice

North Between R 11 & 12 E T 19  
Set 18 6

36" 25 W. oak - 24 ins Dia

40" 100 Set 1/4 Set part from which  
a oak 15 ins Di beams S 79 E  
15 Ls & Do 24 ins Di beams N  
87 W 16 Ls

78" 88 Set part for corner of R 11 &  
12 E T 19 & 20 E Set 1.6.31 & 36  
from which a W oak 13 ins Di  
beams S 55 W 14 Ls & Do 10 Dia beams  
S 59 E 12 Ls

V. 6.00

13

West - Between T 18 & 19 & R 11 E  
Sect 12 & 36

41150 Branch 15 to N. W.

11188 Beech 12 Diar

401100 Set  $\frac{1}{4}$  Sect part from which  
a ash 12 insh Di bears N 77 W 10 to & Buckeye & Di  
bears S 86 E 36 to

60132 Red oak - 40 insh Diar

401100 Set part for corner of Sect  
35 & 36 from which a Beech  
24 Di bears N 60 W 20 to  
4 Di 10 Di bears S 46 E 172

Rich Land Timber Beech  
Sugar ash & undergrowth  
Spice

West Between T 18 & 19 & R 11 E  
Sect 2 & 35

11175 ash 18 insh Diar

401100 Set  $\frac{1}{4}$  Sect part from which  
a Beech 24 insh Di bears N 41  
E 24 to & ash 24 insh Di bears  
S 72 W 20 to

42140 ash 12 insh Diar

461136 Branch 15 to N. W.

731100 Branch 15 to S. W.

401100 Set part for corner of Sect  
34 & 35 from which a Elm 10  
insh Di bears S 77 E 4 to & Cherry  
24 insh Di bears N 81 W 42 to  
the same as above 40111819

West Between T 18 & 19 N R 11 E  
14  
Sect 34 & 34

18" 00 W oak 30 inch Diam

40" 00 Set 1/4 Sect part from  
which a ash 24 inch Diam  
beams S 21 E 18 L & oak 10 L  
beams N 45 W 16 L

70" 98 Hickory 10 inch Diam

80" 00 Set part for corner of  
Sect 33 & 34 from which  
a oak 10 inch Diam beams S 82 E  
12 L & Maple 12 inch Diam  
beams South 82 L

3 Second State Land Timber  
oak &c undergrowth  
Sapras

West Between T 18 & 19 N R 11 E  
Sections 48 & 33

16" 62 W oak - 36 inch Diam

40" 00 Set 1/4 Section part from  
which a W oak 10 inch Diam  
beams S 83 W 15 L & Hickory  
10 inch Diam beams N 46 E 34 L

53" 20 W oak 36 Diam

80" 00 Set part for corner of S 32 & 33  
from which a W oak  
36 Diam beams N 79 E  
29 L & Oak 10 Diam beams  
N 64 W 20 L

3 The same as above

West Between T 18 & 19 N R 11 E

Set 5 & 32

15

34 & 82 W oak 36 inch Di

40 & 100 Set  $\frac{1}{4}$  Set part from  
which W oak 24 Di beam  
N 23 E 25 Lk & Do 30 inch  
beam S 50 W 35 Lk

45 & 34 Ash - 24 inch Di

80 & 100 Set part for corner of set  
31 & 32 from which a W oak  
8 inch Di beam N 28 E 11 Lk  
& B oak 10 inch Di beam S 40 E  
7 Lk

Ⓒ The same as above

West Between T 18 & 19 N R 11  
E Set 6 & 31

40 & 100 Set  $\frac{1}{4}$  Set part from which  
a W oak 24 Di beam East  
26 Chain 50 Lk

81.25 Intersect N line Between  
R 10 & 11 E T 18 & 19 N 3.78  
South of temporary part  
& Set part for corner of T  
18 & 19 N R 10 & 11 E Sections  
1. 6. 31 & 36 from which a  
W oak 12 inch Di beam  
N 55 E 15 Lk & 5 oak 15 Di  
beam 28 W 19 Lk

Ⓒ as above



North Va 6° 15'  
16 Bettsan Range 10 & 11 E.T. 1900  
S. 31 & 36.

35.30 R. Oak 24 In.  
40.00 Set  $\frac{1}{4}$  S. post from which  
a Sugar 10 In! Bears N 15 W. 16 L  
& Elm 10 In! Bears S 10 E 30 L

79.89 Branch 10 S. N W

80.00 Set post corner of Sect.  
25 & 30 T. 19. N. R. 10 E from  
which a B Oak 24 In! Bears  
N. 1. E. 11. 28 L.

Level Land Timber Oak  
under Sassafras &c

North Between R. 10 & 11 E.T. 1900.  
S. 25 & 30

39.50 Creek 20 L. N W

40.00 Set  $\frac{1}{4}$  Sect. post from which  
a Willow 8 in! D. Bears S 84 E  
33 L.

80.00 Set post post corner of S. 24  
& 25 T. 19 R. 10. E. from which  
a W Oak 24 In! D. Bears S 32  
E. 11 L. & do 12 in! Bears N. 40 W.  
43 L.

Rolling Land Timber Oak  
undergrowth Sassafras &c

North Between R. 10 & 11 E T 19 S  
Sections 19 & 24 17

31<sup>11</sup>36 - Hickory 10 inch Diam

40<sup>11</sup>00 Set  $1\frac{1}{4}$  sect post from  
which a Oak 26 inch Di-  
bears N 33 E 11 Lk

60<sup>11</sup>85 Hickory - 10 inch Diam

80<sup>11</sup>00 Set post for corner of  
Sections 13 & 24 T 19 & R  
10 E from which a Hickory  
4 inch Diam bears N 15 W  
2.75 Lk & Oak 24 inch  
Diam bears S 4 E 400 Lk  
The same as above.

North Between R. 10 & 11 E T 19  
Sections 13 & 18

25<sup>11</sup>30 Oak - 12 Diam

40<sup>11</sup>00 Set  $1\frac{1}{4}$  sections post from  
which a Hickory 8 inch Diam  
bears S 10 E 20 Ls & Do 10 in  
Diam bears N 5 W 12 Lk

62<sup>11</sup>58 Oak 12 inch Diam

40<sup>11</sup>00 Set post for corner of Sect  
12 & 13 T 19 N R 10 E from  
which a Hickory 12 inch Di-  
bears S 22 W 11 Ls & Do 8 inch  
Diam bears N 23 W 9 Ls  
Level Land timber oak &c  
under saplings

North Between R 10 & 11 E T 19  
18 N Sect 7 & 12

33" 30 Oak 12 inch Diam

40" 00 Set 1/4 Sect post from  
which a Oak 24 inch Dia  
beam N 31 E 24 Ls & Do 24  
Diam beam N 45 W 17 Ls

44" 00 Oak 36 inch Diam

50" 00 Set post for corner of sec  
18 12 from which a Locust  
24 inch Dia beam S 15 W  
21 Ls & Hickory 10 inch Dia  
beam N 36 E 30 Ls

C Land and Timber as above

North Between R 10 & 11 E T 19 N  
Sect 1 & 6

24" 40 Oak 24 inch Diam

40" 00 Set 1/4 Section post from  
which a Oak 12 inch Dia  
beam N 88 W 19 Ls & Hickory  
12 inch Dia beam S 21 E 33  
Ls Hickory 12 inch Diam

79" 35 Set Post for corner of T  
19 & 20 R 10 & 11 E Sect 1 & 6

31 & 36 from which a Oak  
24 inch Dia beam S 37 W  
60 Ls & Do 10 inch Diam  
beam N 21 E 11 Ls

C as above

West <sup>U. 6.° 00'</sup> Between 18 & 19 N. R. 10 E. S. 35  
8.47 16 Oak 30 in D. 19

40.00 Set  $\frac{1}{4}$  S. post from which  
a B Oak 12 in North 1 L.  
& 16 Oak 24 in bears S. 3. E.  
41 L.

55.72 Gum 12 in.

80.00 Set post corner of S. 35 & 36.  
T. 19 N. R. 10 E. from which a  
16 Oak 24 in bears N. 62 E.  
48 L. & Hickory 12 in bears  
S. 62 W. 22 L.

2<sup>d</sup> Gate Land Timber Oak  
Hickory & Common Sassafras.

---

West Between T. 18 & 19 N. R. 10 E. S.  
2 & 35

40.00 Set  $\frac{1}{4}$  Sect post from which  
a Hickory 24 in D. bears N. 74 W.  
14 L. & 24 in bears N. 23 E.  
4 L.

80.00 Set post corner of S. 34 & 35 T.  
19 N. R. 10 E. from which a  
16 Oak 12 in bears N. 79 W. 10 L.  
& 12 in bears S. 61 E. 33 L.  
as above

<sup>20</sup>  
West Between T. 18 & 19 N. R. 10 E  
S. 3 & 34

21.04 Hickory 24 in

40.00 Set  $\frac{1}{4}$  Sect post from which  
a Sugar 12 in bears S. 31 E.  
25 L. & Oak 24 in bears N. 3 W  
20 L.

80.00 Set post corner of Sect. 33 & 34  
T. 19 N. R. 10 E from which a  
Walnut 24 in bears S. 28 W.  
25 L. & Beech 12 in bears  
N. 28 E. 20 L.

Beech Land Timber Beech  
Sugar poplar H. W. D. Spruce  
Nov. 17<sup>th</sup> 1819

---

West Between T. 18 & 19 N. R. 10 E  
S. 4 & 33

12.50 Creek 25 L. N. W.

34.50 Walnut 24 in

40.00 Set  $\frac{1}{4}$  S. post from which a  
an Elm 12 in bears N. 3 W. 4 E  
Beech 10 in bears S. 11 E. 29 E

69.00 Walnut 24 in

80.00 Set post corner of Sect. 32 &

33. T. 19 N. R. 10 E from which a

Beech 24 in bears S. 39 E. 29 E

40.00 24 in bears N. 45 W. 18 E

as above.

West Between T18 & 19 N R10 E  
Sect 5 & 32 21

3<sup>00</sup> 85 Poplar 30 inch Diam

23<sup>00</sup> 50 Branch 10 to N. W

40<sup>00</sup> Set 1/4 Sect part from which  
a Beech 12 inch Di bears S 68  
E 15 to & 80 24 inch Di bears  
N 14 W 26 to

53<sup>00</sup> 70 Poplar 24 inch Diam

60<sup>00</sup> Branch 10 to N. W

75<sup>00</sup> Branch 10 to N. W

80<sup>00</sup> Set part for Corner of Sect 31  
& 32 T19 N R10 E from which  
a Buckeye 12 inch Di. bears  
S 75 E 11 & Beech 10 inch Diam  
bears N 62 W 14 to

Rich Land Timber beech sugar  
Poplar & undergrowth Spice

West Between T18 & 19 N R10 E  
Sect 64 31

8<sup>00</sup> 50 Branch 10 to N. W

34<sup>00</sup> 8 Beech 12 inch Diam

40<sup>00</sup> Set 1/4 part from which a Beech  
24 inch Di bears S 45 W 4 to & 80  
10 inch Di bears N 45 E 30 to

52<sup>00</sup> 20 Poplar 24 inch Diam

80<sup>00</sup> Intersect North line Between R  
9 & 10 E T18 & 19 N 500 feet from  
the temporary part & set part from  
the corner of T18 & 19 N R10 E  
from which a Elm 24 inch Di bears  
S 34 W 19 E 12 to & oak 8 inch Di bears S 4 to



22 U. 6. 150.  
North Between 9 & 10 E. 119 N. 12 1/2 30

18.00 Beech 24 in!

40.00 Set 1/4 S. post from which  
a Beech 30 in! & bears  
N 64 W. 20 L! & do. 30 in! bears  
V 32 E 25 L!

52.00 Beech 24 in!

80.00 Set post corner of Sect. 25  
& 30. 119 N. N. 9 E. from  
which a Hickory 24 in!  
bears N. 80. E. 11 L! & ash 6  
in! bears S 71 W. 31 L!

Rich Land. Timber Beech  
Sugar ash &c. and. Spruce

---

North Between 9 & 10 E. 119 N  
S. 25 & 30

31.75 Beech 12 in!

40.00 Set 1/4 S. post from which a  
Beech 12 in! bears N. 60 E. 15 L!  
& do 30 in! bears N. 83 W 40 L!

75.45 Beech 12 in!

80.00 Set post corner of Sect 24  
& 25 119 N. N. 9 E. from which  
a Beech 10 in! bears N 25. 4 L!  
& Elm 12 in! bears S 70 W 19 L!  
as above 20

North Between R 9 & 10 E 219<sup>th</sup>  
Set 19 & 24 23

25:00 Reck 24 inch Diem

40:00 Set 1/4 Section port from which  
a Reck 8 inch Diem bears S  
41 E 25 lbs & Di 8 inch Diem  
N 30 W 12 lbs

65:00 Repleur 48 inch Diem

69:00 ~~15~~ Branch 15 L N W

80:00 Set port for corner of set  
13 & 24 219<sup>th</sup> R 9 E from  
which a Reck 8 inch Diem  
bears N 22 E 12 L & Dogwood  
8 inch Diem S 22 W 12 L  
as above

North Between R 9 & 10 E 219<sup>th</sup>  
Set 13 & 18

16:25 Reck 24 inch Diem

24:50 Branch 15 L N W

40:00 Set 1/4 set port from which  
a Sugar 24 inch Diem bears  
S 78 E 22 L & Dogwood 6 inch  
Diem bears N 60 W 6 L

43:00 Reck 25 L N W

56:00 Reck 36 inch Diem

80:00 Set port for corner of set  
12 & 13 219<sup>th</sup> R 9 E from which  
a Reck 12 inch bears S 37 W  
14 L & Dogwood 10 inch Diem bears N 37 E  
29 L same as above

North Between N 9 & 10 E 27

24

1908 Set 74 12

201100

Elm -

401100

24 inch Dia  
Set 1/4 Set post from  
which a Beech 18 inch Dia  
beam S 87 W 18 L & Do 10 inch  
Dia beam S 52 E 20 L

491190

Beech 36 inch Dia

801100

Set post for corner of Set  
74 12 71905 N 9 E from  
which a Beech 12 inch Dia beam  
S 35 W 4 & Do 12 inch beam  
W 17 E 41 L

3 as above

North Between N 9 & 10 E 719  
Set 146

401100

Set 1/4 Set post from which  
a Beech 24 inch Dia beam  
S 70 W 29 L & Do 24 inch Dia  
beam S 9 E 43 L

611100

Beech 30 inch W

861155

Poplar 36 inch Dia

791190

Set post for corner of 719  
& 20 W N 9 & 10 E Set  
1.6.31 & 36 from which a  
Beech 8 inch Dia beam East  
20 L & Do 22 inch Dia  
beam N 55 W 14 L

3 as above

*[The page contains extremely faint, illegible handwriting, likely bleed-through from the reverse side. The text is arranged in approximately 20 horizontal lines across the page. The left edge of the page shows a series of small, circular punch holes, suggesting it was part of a binder or folder. The paper has a slightly aged, off-white appearance.]*



West Between T 18 & 19 N. R 9 E  
Sect 28 & 36 25

3970 Beech 24 inch Diam  
40000 Set 1/4 Sect part from which  
a Beech 24 inch Diam bears  
S 55 E 22 L 12 inch  
Diam S 60 W 18 L

42000 Branch 25 L N. W

61125 Beech 24 inch Diam  
40000 Set part for corner of Sect  
35 & 36 from which a Sugar  
24 inch Diam bears N 31 E 29 L  
& Dog wood 4 inch Diam bears  
S 66 W 16 L

C Rich Land Timber Beech  
Sugar ash &c under Spice

West Between T 18 & 19 N R 9 E  
Sect 28 & 35

2150 Beech 18 inch Diam  
40000 Set 1/4 Sect part from which  
a Beech 12 inch Diam bears  
4 W 4 L & 10 inch Diam  
bears S 86 E 19 L

46172 Elm 24 inch Diam

40000 Set part for corner of Sect  
34 & 35 T 19 N R 9 E from  
which a Beech 24 inch Diam bears  
S 19 W 20 L & 24 inch Diam bears  
S 11 W 26 L  
Same as above



West Between 218 & 19 N. R. C.  
26 Set 3 & 34

511100 Poplar 24 inch Diem

171100 Creek 24 to N. W.

261100 Branch 15 to N. W.

401100 Set 1/4 set part from  
which a Beech 8 inch Diem  
N 42 W 16 to & Sugar  
4 inch Diem 267 E 14  
th

651100 creek 25 to N. W.

681175 Beech 12 inch Diem

801100 Set part for corner of  
Set 33 & 34 from which  
an ash 24 inch Diem  
S 81 E 39 to & Hickory 12 Di  
beam N 71 W 31 to

Same as above

West Between 218 & 19 N. R.  
9 C Set 48 & 33

101135 Beech 24 inch Diem

401100 Set 1/4 set part from  
which a Beech 12 inch Di  
beam S 11 E 3 to & Do 8 Diem  
N 4 E 24 to

521138 ash 24 inch Diem

551150 Branch 10 to N. W.

401100 Set part for corner of set  
32 & 33 from which a Beech  
12 inch Diem beam S 48 E 13 to  
& Sugar 8 Di. beam S 88 E 40  
above 15 to

West Between 2 18 & 19 ~~at~~ R 9 E Set

54 32

27

15150 Branch 10 to N. W.

18150 Creek 30 to N. W.

19185 Poplar 36 inch Diam

401100 Set 1/4 Set post from which a  
Beech 4 inch Di bears N 74 E 24 to  
& Sugar 10 inch Di bears N 74 E  
15 to

42400 Grace

481153 Beech - 24 Diam

401100 Set post for corner of Set 31 &  
32 N 19 W R 9 E from which  
a oak 24 inch Di bears S 40  
E 12 to & Hickory 10 inch Di  
bears W 17 E 18 to  
as above

West Between 2 18 & 19 ~~at~~ R 9 E

Set 64 31

6150 Creek 30 to S. W.

201100 Branch 10 to S. E

201140 Poplar 36 inch Diam

401100 Set 1/4 Set post from which  
a ~~tree~~ 30 inch Di bears N  
39 E 13 to & Dogwood 4 inch  
Di bears S 6 W 16 to

441164 <sup>ca</sup> intersect at line between R  
8 & 9 E of 18 & 19 at 2 Chain 74  
links south of Temporary  
post

North 6" 10  
Between R 4 & 9 E T 19  
Set 31 & 36

34x70 Oak - 24 inch Dia  
40110 Set 14 Set part from  
which a Beech 8 inch Dia  
beams N 14 E 22 L 4 Do 8 inch  
Dia beams S 14 W 16 L

65x85 Beech - 24 inch Dia  
801100 Set part for corner of  
Set 25 & 36 from which  
a Beech 12 inch Dia beam  
N 16 E 18 L & Buckeye  
6 inch Dia beam S 16 W  
11 L

Rich Land Timber  
Beech Sugar ash & c under  
growth Spice

North Between R 4 & 9 E T 19  
Set 25 & 31

19x10 Beech 24 inch Dia  
401100 Set 14 Set part from  
which a Beech 36 inch Dia  
beams S 36 W 4 L & Do 8 inch  
Dia beams N 14 E 26 L

66x100 Beech 25 L N W  
801100 Set part for corner of  
24 & 25 from which a Beech  
24 inch Dia beams N 30 E  
13 L & Buckeye 10 inch Dia  
beams S 10 E 40 L  
Same as above

Examined  
Lupine

N. 6. 10  
North Between R 8 & 9 E T 1902  
N Sect 31 & 36 29

351190 Beech - 12 inch Diam  
401100 Set 1/4 Sect part from which  
a Sugar 24 inch Diam bears  
S 10 W 21 1/2 & Do 24 inch  
Diam bears N 10 E

801100 Set part for corner of  
Sect 25 & 36 from which  
a Beech 24 inch Diam bears  
S 17 E 44 1/2 & Do 10 inch Diam  
bears S 44 W 19 1/2

Rich Land Timber Beech  
Sugar ash Hackberry &  
undergrowth maple

North Between R 8 & 9 E T 19  
N Sect 25 & 30

351184 Poplar 72 inch Diam  
401100 Set 1/4 Sect part from  
which a Beech 12 inch Diam  
bears N 26 W 19 1/2 & Do 12  
inch Diam bears S 22 E 45 1/2

521150 Road

801100 Set part for corner of  
Sect 24 & 25 T 1902 R 8 E  
from which a Beech 10 inch  
Diam bears S 69 W 19 1/2 &  
Do 9 inch Diam bears N 19 E  
12 1/2

Rich Land Timber  
as above

North Between R 8 & 9 E 3  
30 1904 Set 19 & 24

41150 Branch 10 to NW 40

33100 Creek 25 to NW 40

34150 Elm - 12 inch Diam

40100 Set 1/4 set post from  
which an Elm 6 inch Diam  
bears S 34 W 19 to  
& Do 6 inch Diam bears  
N 24 E 7 to

7214 Oak - 24 inch Diam

80100 Set post for corner  
of sections 13 & 24 from  
which a Hickory 12 inch  
Diam bears S 33 W 7 to  
& Elm 36 inch Diam  
bears S 32 E 11 to

3 as above

North Between R 8 & 9 E 3 1904  
Set 13 & 18

37156 Creek - 12 inch Diam

410100 Set 1/4 set post from which  
a Creek 24 inch Diam  
bears N 18 E 43 to & Cherry  
12 inch Diam bears S 27 W  
34 to

80100 Set post for corner of  
sections 12 & 13 from  
which a Creek 12 inch Diam  
bears S 50 E 45 to & Do  
N 7 W 41 to

3 as above

North Between R 489 E 219  
N Set 78 12 31

11480 Elm - 12 inch Dia

401100 Set 1/4 Section part from which  
a Hickory 10 inch Dia bears  
E 19 W 29 L 400 24 inch Dia  
bears N 3 E 41 L

55118 Oak - 14 inch Dia

701100 Set part for corner of  
Set 18 12 319 N R 4 E  
from which a Elm 7 inch  
Dia bears S 73 W 26 L  
& Oak 10 inch Dia bears  
N 54 E 16 L

E 3 Same as above

North Between R 489 E 219  
190 N Set 186

261160 Oak 20 inch Dia

271100 Road

401100 Set 1/4 Section part from  
which a Sugar 8 inch Dia  
bears N 23 E 10 L & Walnut  
30 inch Dia bears S 77 W  
20 L

511172 Buckeye 14 inch Dia

541113 intersect White River & Set  
part from which a Elm  
14 inch Dia bears N 6 W 8 L  
& Oak 8 inch Dia bears S 26 E  
5 L



32

571162 Set post on the N Bank  
of Sand River from which  
a Hackberry 8 inch Dia bears  
N 19 W 20 L & Buckeye  
10 inch Dia bears S 44 W  
17 L

781174 Set post for corner of  
T 19 & 20 N R 2 & 9 E Set  
1.6. 31 & 36 from which a  
oak 36 inch Dia bears N  
15 W 15 L & Buck 14 inch Dia  
bears S 12 E 15 L

(3)

N 6° 30

West Between T 14 & 19 of R 4 <sup>33</sup>

<sup>35</sup> E Sect 2 & 36

14<sup>33</sup> Ash - 12 inch Diam

40<sup>1100</sup> Set 1/4 Sect part from  
which a Beech 24 inch Dia  
bears N 76 E 32 L & W  
oak 12 inch Dia bears S  
44 W 25 L

50<sup>139</sup> Hickory 24 inch Diam

80<sup>1100</sup> Set part for corner of Sec

35 & 36 T 19 of R 4 E from  
which a Buckeye 9 inch Dia  
bears N 80 E 16 L & Hickory  
12 inch Dia bears S 75 W 29

to Rich Land Timber. Beech  
& Sugar poplar & cunder Spruce

---

West Between T 14 & 19 of R 4 E  
Sect 2 & 35

40<sup>1100</sup> Set 1/4 Sect part from  
which a Beech 4 inch Diam  
bears N 79 W 29 L & ash 18  
inch Dia bears S 84 E 30 L

45<sup>1168</sup> Beech 36 inch Diam

60<sup>1100</sup> Branch 10 L N. W

80<sup>1100</sup> Set part for corner of Sec

34 & 35 <sup>T 19 of R 4</sup> from which a ash 24  
inch Dia bears S 35 E 9 L &  
W oak 12 inch Dia bears N  
35 W 3 L

to Rolling Land Timber above

West Between 718 & 19 of R  
34 SE Sect 3 & 34

3000 Creek 25 ft S-W

40000 Set 1/4 Sect part from  
which a ash 10 in sh Die  
beams & 27 W 7 ft & 20 12  
in sh Die beams & 27 28 2

40000 Set part for corner of  
Sect 33 & 34 from which  
a Hickory 10 in sh Die beams  
& 14 E 21 ft & Beech 10 in  
Die beams & 13 E 27 ft  
Same as above.

West Between 718 & 19 of R SE  
Sect 4 & 33 16

16062 Beech 18 in sh Die

40000 Set 1/4 Sect part from  
which a Beech 8 in sh Die  
beams & 12 W 4 ft & 12 in sh  
Die beams & 66 E 25 ft

73000 Hickory 10 in sh Die

80000 Set part for corner of  
Sect 32 & 33 from which  
a Sugar 24 in sh Die beams  
& 29 W 8 ft & 24  
in sh Die beams & 28  
24 ft

Land and Timber  
as above

West Between T 18 & 19 N R  
8 E Sect 28 & 32 35

401100 Set 1/4 Section part from  
which a Beech 24 inch  
Dier bears N 76 E 26 Ls  
& Do 24 inch Dier bears  
77 W 21 Ls

401100 Set part for corner of  
Sections 31 & 32 T 19 N R  
8 E from which a Beech  
24 inch Dier bears S 75 E 9  
Ls & Do 10 inch Dier bears  
N 54 W 14 Ls

as above

West Between T 18 & 19 N R 8  
E Sect 28 & 31

71150 Road

201100 creek - 25 Ls S. W. D.

391100 Road

401100 Set 1/4 Sect part from  
which a Beech 12 inch Dier  
bears S 69 E 11 Ls & Do 24  
inch Dier bears N 69 W 2 Ls

49118 Red oak - 10 inch Dier

451150 intersect N & South line  
Between R 7 & 8 E T 18 & 19  
N 7.25 Ls South of Tem  
porary part & Set part for  
corner of T 18 & 19 N R 7 & 8 E  
1.6. 31 & 35 from which a Beech 12  
bears N 27 W 14 Ls & ash 6 inch  
bears S 4 E 10 Ls  
as above

North <sup>N 61 00</sup> Between R 74 & E 219  
36 N Sect 31 & 36

25 1100 W oak - 36 inch Dia

40 1100 Set 1/4 Sect part from  
Whiche R oak 109 inch Dia  
beams N 45 W 5 to 8  
inch 6 inch Dia beams W  
84 E 16 to

72 115 Elm - 36 inch Dia

80 1100 Set part for corner of  
sections 25 & 36 219 &  
R 7 E from which ash 8  
inch Dia beams S 13 E 22 to  
& Hickory 10 inch Dia beams  
N 79 W 28 to

Rich Land Timber beams  
Sugar ash oak & under  
growth Spruce

North Between R 74 & E 219

Set 25 & 30  
19 1140 ash - 12 inch Dia

40 1100 Set 1/4 part from which  
W oak 24 D beams N 63 W  
10 to 12 inch Dia beams  
S 33 E 6 to

63 1140 Hickory 12 inch Dia

80 1100 Set part for corner of Sect  
24 & 25 219 & R 7 E from  
which a W oak 18 inch Dia  
beams N 88 E 27 to  
& iron wood 8 inch Dia  
beams S 49 W 23 to

Rich Land Timber oak &

North Between R 7 & 8 E T 19 or

Set 19 & 24

37

20470 Wack 20 inch Diem

40400 Set 1/4 Set part in Low wet  
prairie from which a Wack  
24 inch Diem bears S 8 W 27 1/2 L

71487 Wack - 24 inch Diem

80400 Set part for corner of Set  
18 & 24 T 19 or R 7 E from  
which a Hickory 24 inch Diem  
bears S 51 E 12 L & Wack  
4 inch Diem bears S 51 E 2 L

3 Timber as above

North Between R 7 & 8 E T 19 or  
Set 13 & 14

16070 Hickory 24 inch Diem

40400 Set 1/4 Set part from which  
a Beech 4 inch Diem bears S  
79 E 9 L & Elm 24 inch Diem  
bears S 30 W 9 L

57430 Wack - 18 inch Diem

62400 Road -

80400 Set part for corner of Set  
12 & 13 T 19 or R 7 E from  
which a Sugar 18 inch Diem  
bears S 20 W 11 L & Hickory  
10 inch Diem bears S 33 E 40 L

3 Land and Timber  
as above



- 38 North Between R 744 E 219  
 N Sect 74 12  
 51138 intersect White River Run  
 -ing N W 1/4 set post from  
 which a Elm 36 inch Dia  
 bears N 39 W 33 L &  
 Mahogany 10 inch Dia  
 bears N 81 E 12 L  
 111130 set post on the North Bank  
 of said river from which  
 a Buckeye 12 D bears S W  
 28 L & Sugar 12 inch D bears  
 N 20 E 22 L  
 401100 set 1/4 set post from which  
 a Hickory 12 inch Dia bears  
 S 73 E 29 L & Sugar 36 D  
 bears S 80 W 64 L  
 801100 set post for corner of  
 Sect 12 12 219 W R 7 E from  
 which a Buckeye 10 inch  
 Dia bears S 29 W 13 L  
 & Oak 8 inch Dia bears S  
 48 E 14 L

3 Rick Land Limas  
 Beech Sugar Hackberry  
 & undergrowth Spice  
 & papaw

---

North Between R 7 & 8 E 2  
19<sup>th</sup> Set 14 6

39

32<sup>nd</sup> Creek 100 to S. W.

35<sup>th</sup> Same - A. E.

40<sup>th</sup> Set 1/6 Set part from where  
a Cotton wood 6 inch Die  
beam of 28 E 28 L & with  
10 inch Die beam of 46 W  
15 L

41<sup>st</sup> Creek 100 to S. W.

42<sup>nd</sup> Set part for corner of  
27 19 & 20 W R 7 & 8 E Set  
1.6. 31 & 36 from which  
a Beech 14 inch Die beam  
of 37 E 22 L & Horn beam  
6 inch Die beam of 2 W 1/2

3 Same as above

Met between 219 & 190  
40100 Set 1/4 set port from  
which a Sugar 12 in Di-  
beams N 33 E 6 h & H  
my 24 inch Diem beams  
220 E 21 h

40100 Set port for corner of  
set 35 & 36 219 & 190 R 7 E  
from which a Walnut 24  
inch Diem beams N 30 E  
23 h & Hickory 12 inch  
beams 15 W 19 h

Rich Low timber  
Fresh Sugar Walnuts  
& a undergrowth the spice

Met between 219 & 190 R  
7 E set 2 & 35

40100 Set 1/4 set port from  
which a Dogwood 8 in Diem  
256 E 16 h & Oak 12 inch  
Diem beams N 73 W 43 h

54100 Branch 10 h N W

61150 Branch 10 h S W

64150 Branch 10 h S W wet

40100 Set port in a low place  
for corner of set 34 &  
35 219 & 190 R 7 E from  
which a Oak 24 inch Diem  
beams N 49 E 15 Chain 46 h  
& 10 inch Diem beams  
185 W 340 h  
Timber oak & a under  
growth the

West between T 18 & 19 N  
R 7 E Sect 34 34 41

13000 Branch 10 to S.W.

40000 Set 1/4 Sect part from which  
a Oak 24 inch Dia  
beams N 25 E 11 to  
Hickory 9 inch Dia beams  
S 38 W 29 to

80000 Set part for corner of  
Sections 33 & 34 T 19 N  
R 7 E from which a  
Hickory 12 inch Dia beams  
N 5 W 13 to & Do 10 inch  
Dia beams S 38 W 3 to  
3 Same as above

West between T 18 & 19 N  
R 7 E Sect 4 & 53

40000 Set 1/4 part from which  
a Oak 24 inch Dia beams  
N 71 E 18 to & Birch 24 inch  
Dia beams S 29 W 40 to

80000 Set part for corner of Sect  
32 & 33 from T 19 N R  
7 E from which maple  
12 Dia beams East 12 & to  
& Willow beams West  
460 to

3 Timber as above

West Between 7 18819

401100 N R 7 E Sect 5 & 32  
Set 1/4 Sect part from  
which a Beech 12 inch  
Di. bears S 57 W 6 h  
& Do 18 inch Di. bears  
N 14 W 21 h

801100 Set part for corner  
of section 31 & 32 719  
R 7 E from which a  
Beech 10 Di. bears S 33  
W 23 h & Do 10 inch Di.  
bears N 34 E 13 h

3 Beech Land of under  
Beech Sugar maple  
& c under growth the spruce

---

West Between 7 18819 N R 7 E  
Sect 6 & 31

401100 Set 1/4 Sect part from  
which a Beech 10 inch  
Di. bears N 24 W 13 h  
& Do 6 inch Di. bears S  
17 E 25 h

801100 Intersect N & South line  
Between R 6 & 7 E 7 18819  
at the corner

545

North between R 647 E  
T 19 Section 31836

4000 Set  $\frac{1}{2}$  Section post from  
which a Hickory 8 hrs S  
11 W 32 links & leaves 14  
hrs N 23 E 24 links

5000 Maple 18 hrs

8000 Set post corner of section  
25836 1904 R 6 E from  
which an Ash 8 hrs S  
31 W 35 hrs & 12 hrs  
N 82 E 18 links  
3 over cut land tim-  
ber Beech Elm Maple

North between R 647 E T 19  
Section 25830

1745 Lycamore 18 hrs

4000 Set  $\frac{1}{2}$  Section post from  
which a Beech 5 hrs S 18 W  
21 hrs & 8 hrs N 34 W 6

5243 Ash 14 hrs

8000 Let post corner of Section  
24 & 25 T 19 N R 6 E from  
which an Oak 15 hts  
23 W 15 hts & Sycamore  
8 hts N 72 E 8 links  
E 30 acres as before

North between R 6 E & R 7 E  
T 19 N Section 24 & 19

1175 Oak 18 hts

4000 Let post corner of Section 24 & 19  
from which a Hornbeam 7 hts  
S 4 E 24 links & Ash 6 hts  
N 2 W 23 links

8000 Let post corner of  
Section 13 & 24 T 19 N  
R 6 E from which an  
elm 10 hts S 40 W 14 links  
& Oak 18 hts N 6 E 22  
links

3000 level wing  
land timber brush  
Oak Ash &c



North Between R 687 E  
1908 Section 13 & 18

3508 Hickory 12 hrs

4000 Lot 1/2 Section port from  
which a Buck 8 hrs

45 W 23 lbs & 13 hrs

at 62 Eco links

7431 Buck 12 hrs

8000 Lot port coming from  
12 & 13 1908 E from

which a Buck 6 hrs

S. 1.2 20 lbs & 12 hrs

at 10 E 39 links

as before

North Between R 687 E  
1908 Section 7 & 12

2180 Poplar 24 hrs

4000 Lot 1/2 Section port from  
which a Hickory 24 hrs

34 E 17 lbs & 13 hrs

at 35 W 32 lbs

6880 Ash 18 hrs Road at 24 hrs

46  
5000

Let port corner of Section  
14/2 1928 N 6 E from  
which a Beech 20 hrs S 63  
N 13 hrs S 20 14 hrs S 72 E  
41 links & over good  
land

North Section 260/78 1900  
Sections 1 & 8

30 00 Road E & W

40 00 Let 1/2 Section 14/2 from  
which a Beech 20 hrs S  
16 hrs S 60 hrs S 22 hrs  
S 13 E 15 links

70 40 Intersect River let port  
from which a Beech 20  
8 hrs S 68 N 6 Cornbeam  
10 hrs S 79 E 17 links

74 05 Let port from which  
a Beech S 64 E 9 & 20  
6 hrs S 78 N 14 links

34 31 Let port corner of 1920  
of 260/78 Section 1. 6. 31/36  
from which a Beech 18 hrs  
S 10 N 32 11 4 hrs S 12 hrs S  
12 N 19 links

Over a before  
Laminated Donald

6181

North Georgetown Oct 7<sup>th</sup> 19  
A. L. Lunt

47

N 6. 30  
Met Between of 18819 of R 6  
E Sect 2 & 36

401100 Set 1/4 set part from  
whicha Reck 4 inch Di  
bean N 46 E 24 h & Lyn  
4 Dian bean S 30 W 6 1/2

401100 Set part for corner  
of Sect 34 & 36 of 19 of R  
6 E from whicha Reck  
12 Dian bean S 5 W 13 1/2  
& Do 10 inch Di bean  
N 42 W 14 h

73 Reck Land Timber  
Reck Lynn ash & c  
under grow the Spruce

Met Between of 18819 of R  
6 E Sect 2 & 35

401100 Set 1/4 set part from  
whicha Elm 36 inch  
Di bean S 42 W 6 h  
& Do 24 inch Di bean  
N 44 E 23 h

401100 Set part for corner  
of Section 34 & 35 of 19  
N R 6 E from whicha  
Sugar 12 inch Di  
bean N 15 W 5 1/2 & Do  
12 inch Di bean S 45  
W 20 h

73 The Same as above

West Between T 18 & 19 of R 6  
E 33 & 34

401100 Set 1/4 Sect part from upper  
a Beech 10 Diem bears N 33  
E 20 L & Do 4 inch Diem bear  
S 33 W 7 L

801100 Set part for corner of  
Sections 33 & 34 T 19 of R  
6 E from which a Beech  
4 inch Diem bears N 30 W  
2 L & Do 24 inch Diem  
bears S 38 W 23 L

C Rich Land timber Beech  
Sugar ash &c undergrowth  
- Spill soil good

West Between T 18 & 19 of R 6 E  
Sect 48 & 33

401100 Set 1/4 Sect part from which  
a Beech 12 inch Diem bears  
N 70 W 15 L & Beech 4 inch  
Diem bears S 26 E 19 L

801100 Set part for corner of  
Sections 32 & 33 T 19 of R  
6 E from which a Beech  
10 Di bears S 15 E 3 L & Do  
4 inch Diem bears N 20 W  
13 L

D Same as above

West Between 718 & 19 N  
50. R 62 Set 54 32  
40"00 Set 1/4 set part from  
which a Beech 12 inr Di  
beams N 46 W 5 L & Do  
10 inr Di beams S 5 E 103  
80"00 Set part for corner of  
Set 314 32 from which  
a Beech 10 inr Di beams  
N 51 W 5 L & Do 10 inr  
Di beams S 1 W 17 L  
Same as above

West Between 718 & 19 N R  
62 Set 64 31  
40"00 Set 1/4 set part from  
which a Beech 24 inr  
Di beams S 33 W 12 L  
& Do 24 inr Di beams  
N 82 E 7 L  
80"00 enter set of 4 line  
between R 5 & 6 E 718  
& 19 N 3.30 L South of  
Temporary port & set  
part for corner of 71  
18 & 19 N R 5 & 6 E Set  
1.6. 31 & 36 from which  
a Beech 18 inr Di beams  
S 43 W 16 L & Do 12 inr  
Di beams N 5 W 12 L  
Beech Land Timber  
Beech Sugar ash &c  
undergrowth Spruce

North <sup>N 5045</sup> between R 586 E 219  
W Sect 31 & 36 51  
25.00 Oak 36 inch Diem

40.00 set 1/4 Sect part from  
which a Oak 40 inch Di  
beams of 22 L Oak  
24 inch Di beams of 22 W  
22 L

50.00 Oak 24 inch Diem

55.00 Road

80.00 set part for corner of  
Sect 25 & 36 from which  
a sugar 8 inch Di beams  
of 27 W 23 L & 20 12 inch  
Di beams of 21 L

Rich Land Timber head  
Sugar oak & grand  
growth Spruce

North between R 586 E 219  
Sect 7 & 12

40.00 set 1/4 Sect part from which  
a Oak 36 inch Di beams  
of 78 W 3.15 L & Oak 24  
inch Di beams of 5 W 3.90 L

~~60.00 Oak 24 inch Diem~~  
~~80.00 set part for corner of Sect~~  
~~7 & 12~~



North Return R 5 & 6 E T 19  
52 Set 25 & 30  
34" 48 Buckeye 12 inch Di  
40" 100 Set 1/4 Set part from  
which a Oak 40 inch Di  
beams at 45 E 7 L & Do  
40 inch Di beams & 60 W  
29 L

63" 50 Creek 25 L S. W  
73" 60 Oak 24 inch Di  
40" 100 Set part for corner of  
Set 24 & 25 T 19 at R 5 E  
from which a Oak 10 inch  
Di beam beams at 49 W 3 L  
& Buckeye 4 inch Di beams  
at 51 E 2 L  
3 same as above

North Return R 5 & 6 E T 19  
at Set 19 & 24  
89" 20 Oak 24 inch Di  
40" 100 Set 1/4 Set part from  
which a poplar 24 Di  
beams & 30 W 56 L &  
Oak 24 inch Di beams  
at 34 E 11 L

57" 82 Oak 24 inch Di  
40" 100 Set part for corner of  
Set 13 & 24 T 19 at R 5 E  
from which a Oak 12 inch  
Di beams at 40 W 19 L &  
Do 12 inch Di beams at 48 E  
30 L  
3 Second Rate Land under  
oak Hickory poplar & under  
growth of Sassafras

North Between  $R 5 \& 6 E 719$   
of Sect 13 & 18

53

24115 Branch 10  $\frac{1}{2}$  S. W

33164 Wack 24 insh Di

401100 Set  $\frac{1}{4}$  Sect port from  
which a Quarry 10 insh Di  
beams  $\& 48 E 38 \frac{1}{2} \& 80 10$   
insh Di beams  $\& 48 W 41$   
 $\frac{1}{2}$

70112 Wack - 26  $\frac{1}{2}$

801101 Set port for corner of  
12 & 12  $719$  of  $R 5 E$  from  
which a Wack 24 insh Di  
beams  $\& 64 W 32 \frac{1}{2} \& 80$   
12 insh Di beams  $\& 28 E$   
19  $\frac{1}{2}$

$\&$  as above

North Between  $R 5 \& 6 E 719$  W  
Sect 7 & 12

401100 Set  $\frac{1}{4}$  Sect port from which  
a Wack 36 insh Di beams  
 $\& 74 W 3.15 \frac{1}{2} \& 80 24$  insh  
Di beams  $\& 4 W 390 \frac{1}{2}$

671100 Wack 24 insh Di

801100 Set port for corner of  
Sect 10, 12  $719$  of  $R 5 E$   
from which a Wack 24 insh  
Di beams  $\& 60 W 11 \frac{1}{2}$   
 $\& 80 24$  insh Di beams

$\& 36 E 23 \frac{1}{2}$

$\&$  Land as above

November 26<sup>th</sup> 1819

North Between R 5 & 6 E 219  
54 at Sect 176

23125 Oak 24 inch Dia

401100 Set 1/4 Sect port from which  
a Hickory 12 inch Dia beam &  
76 E 15 L & W oak 12 inch  
Dia beam S 72 W 42 L

64150 intersect W River Run  
= ing S. W & set port  
from which a Locust 36  
inch Dia beam S 68 W  
18 L & Hackberry 6 inch  
Dia beam N 5 E 13 L

68165 Set port on the North bank  
of said River from which  
a Hornbeam 4 inch Dia beam  
S 51 E 10 L & Locust 8 inch  
Dia beam S 43 E 5 L

85180 Set port for corner of  
19 & 20 W R 5 & 6 E S 1.6  
31 & 36 from which a Birch  
18 inch Dia beam N 24 E  
19 L & Hickory 10 inch Dia  
beam S 44 W 26 L

as above

West <sup>17. 6. 15</sup> Return of 18 & 19 of R 5 C

Set 1 & 36

401100 Set 1/4 Set post from which  
a Buck 10 inch Dia bears  
30 C 8 L & Sugar 10 inch  
Dia bears of 2 W 11 Ls

78150 Road

801100 Set post for corner of Set  
35 & 36 of 19 of R 5 C from  
which a Buck 18 inch Dia bears  
of 12 C 25 L & Do 4 inch Dia  
bears of 53 W 5 L

Rich Land timber buck  
Sugar ash & undergrowth  
Spice &c

---

West Return of 18 & 19 of R 5  
C Set 2 & 35

37150 Branch 10 L. S. W

401100 Set 1/4 Set post from which  
a Elm 36 inch Dia bears of  
15 C 11 L & Walnut 24 inch  
Dia bears of 44 W 6 L

801100 Set post for corner of Set  
34 & 35 from which a ash  
24 inch Dia bears of 45 C  
27 L & Buck 24 inch Dia  
bears of 75 W 21 L

Rich Land Timber  
as above

West Return 2188 19 of R5E  
56 Set 3 & 34

1110 Branch 10 1/2 of N.W

11400 The same S.W

36000 Creek 7 1/2 to S.W

40100 Set 1/4 Set post from  
which a Beech 12 in h Di  
beans 188 W 13 1/2 & Ash  
= Eye 24 in h Di beans 1

45 E 47 1/2  
80100 Set post for corner of  
Set 33 & 34 219 of R5E  
from which a Beech 24  
in h Di beans, 136 W 13 1/2  
& ash 12 in h Di beans 31  
W 37 1/2

3 Rich Land Timber Beech  
ash Sugar &c underground  
Spice & papaw

West Return 214 & 19 of R  
5 E Set 4 & 33

40100 Set 1/4 Set post from  
which a Beech 30 in h Di  
beans 135 E 3 1/4 Lk & 90  
4 Di beans of 28 W 34 Lk

80100 Set post for corner of sec  
32 & 33 from which a Hickory  
24 in h Di beans 164 E 15 1/2  
& Red oak 12 in h Di beans  
168 W 13 Lk

3 Rich Land Timber  
or about

West Between of 14 & 19 N 5 E 20  
5-8 32

401100 Set 1/4 Set post for corner  
of ~~the~~ from which a Beech  
24 inch Di bears S 27 E 20 Ls  
& Do 6 inch Di bears N 53 W  
4 Ls

771150 Road

401100 Set post for corner of Set  
31 & 32 from which a Elm  
36 inch Di bears North 2 Ls  
& Sugar 12 inch Di bears S  
41 W 9 Ls

Rich Land timber as above

West Between of 18 & 19 N 5 E  
Set 6 & 31

401100 Set 1/4 Set post from which  
a Sugar 24 inch Di bears S  
10 E 3 Ls & Do 10 inch Di  
bears N 10 W 20 Ls

801100 intersect of 14 & 19 line between  
N 4 & 5 E 218 & 19 or 125 Ls  
South of temporary post  
& set post & set post for  
corner of 14 & 19 N 4 & 5  
E Set 1.6.31 & 36 from which  
a Hickory 10 inch Di bears S  
7 W N 5 Ls & Buckeye 10  
inch Di bears N 7 E 6 Ls

Rich Land timber as  
above

November 29th 1819



<sup>N. 8. 45</sup>  
North between N 47 5 E 719  
58 N Set 318 36

27468 intersect River <sup>running</sup> S. W  
I set post <sup>S. E. Bank</sup> from which  
a W oak 10 inch Di  
beams S 12 E 12 L. & 80  
10 inch Di beams N 14 W  
4 L

401100 set 1/4 set post from  
which a Elm 24 inch Di  
beams S 44 W 3.18 L & 80 24  
inch Di beams S 32 W 3.2  
L <sup>on the N. E. Bank the river</sup>

601100 set post from which  
a W oak 12 inch Di beams  
N 14 E 5 L & 80 8 inch Di  
beams S 75 W 4 L

401100 set post for corner of  
set for corner of set  
25 & 36 from which  
a Buckeye 12 inch Di  
beams S 66 W 16 L &  
Buckeye 12 inch Di beams  
N 38 E 16 L

By Rich Land Timber  
Sugar ash &c



Route between R 425 - E 719

N Set 25 & 30

59

291150 intersect River & set post  
on the S.E. Bank  
from which a Runkey 4  
inch die beam N 62 E 6 1/2  
800 8 inch die beam S  
32 E 10 1/2 in River

401100 Set 1/4 set post from  
which ~~to~~ <sup>on the S.E. Bank of the River</sup> bearing trees

441125 Set post from which a  
W oak 24 inch die beam  
N 76 E 12 1/2 & Boxed on 12  
inch die beam S 45 W 12 1/2

401100 Set post for corner of  
sections 24 & 25 719 N R  
4 E from which a Run 22 1/2  
inch die beam S 53 W 21  
1/2 & 800 12 inch die beam  
N 53 E 23 1/2

Rich Land Timber  
Run sugar ash &c  
undergrowth Spice

North Between R485 & T19 or  
60 feet 19 & 24 <sup>in swamp</sup>  
40" or set 1/4 set <sup>from</sup> <sup>^</sup>  
which a ash 10 inch Di beam  
S 15 W 30 L  
40" or set set for corner of set  
13 & 24 T19 or R48 from  
which a Beech 24 inch Di  
beam S 65 E 26 L & iron  
wood 6 inch Di beam N  
65 W 19 L  
Same as above

---

North Between R485 & T19 or  
set 13 & 14  
40" or set 1/4 set from which  
a Beech 12 inch Di beam  
S 32 E 17 L & Do 24 inch Di  
beam N 57 W 32 L  
47" or 75 Walnut 40 inch Di beam  
40" or set set for corner of set  
12 & 13 T19 or R48 from  
which a Beech 24 inch Di  
beam N 60 W 20 L & iron  
wood 6 inch Di beam S  
69 E 3 L  
Same as above

North Between R 40 5 E T 19 or  
Set 74 12 61

16" Ruck 12 inch Die

40" 100 Set 1/4 post from which  
a Elm 24 inch Die bears  
W 2 1/2 E Ruck 8 inch Die  
bears N 79 E 10 1/2

52" 10 Ruck 24 inch Die

40" 100 Set post for corner of Set  
18 12 T 19 or R 4 E from  
which a Sugar 24 inch Die  
bears N 32 28 E & Ruck 10  
inch Die bears S 15 W  
25 1/2

Same

---

North Between R 40 5 E T 19 or  
Set 14 6

9" 50 ash 24 inch Die

40" 100 Set 1/4 post from which a  
Ruck 8 inch Die bears  
29 W 8 E & Ironwood 8  
inch Die bears S 34 E 21 1/2

85" 100 Set post for corner of  
T 19 & 20 or R 4 & 5 E Set  
1.6. 31 & 36 from which  
a 12 inch Die bears N 6  
W 19 E & Sugar 18 inch  
Die bears S 63 W 18 E

Same

67 N. C. 15  
West Betwixt 7 14 & 19 of R  
42 Set 18 36

2270 inter set W River Runing  
C. W & set post from  
which a. W oak 12 inch D  
beam S 26 W 13 h & do  
24 inch Die beam N 26 E  
11 h

2870 Set post from which a  
Red birch 4 inch Die beam  
N 5 E 3 h & ash 4 inch Di  
beam S 1 E 10 h

40000 Set 1/4 post from which  
a Beech 24 inch Die beam  
S 75 W 22 h & do 24 Die  
beam N 21 W 25 h

40000 Set post for corner of  
Set 35 & 36 from which  
a Buckeye 12 inch Die  
beam S 73 W 15 h & Hack  
- berry 14 inch Die beam N  
42 E 16 h

C Rich Land Timber  
Beech Sugar Hackberry  
& underground Spruce

Wat Between 214 & 19 of R<sup>63</sup>  
4E Set 2 & 35

400000 Creek = 100 to S. E

400000 Set 1/4 set post from  
which a Buck 12 inch die  
beams of 49 W 19 L

& Wood 4 inch die beams  
J 31 E 23 L

400000 Set post for corner of set  
34 & 35 219 of R 4E from  
which a Buck 10 inch die  
beams of 24 W 14 L & Wood  
4 inch die beams J 25 E  
16 L

Same as above

Wat Between 214 & 19 of R  
4E Set 3 & 34

400000 Set 1/4 set post from which  
a Buck 10 inch die beams  
J 44 E 21 L & iron wood  
6 inch die beams of 18 W  
3 L

400000 Set post for corner of  
set 33 & 34 219 of R 4E  
from which a Buck 12  
inch die beams J 51 W 14  
L & Hickory 4 inch die beams  
of 37 E 14 L

Same as above

West Between 2 18 & 19 of R 42  
64 Set 4 & 33

401100 Set 1/4 Set port from  
which a Beech 6 die been  
125 W 44 h & Wack 12 ins  
Die been N 25-L 32 h

901100 Set ~~from~~<sup>from</sup> ~~port~~<sup>32 & 33</sup> from  
which a Beech 24 ins die  
been 160 W 15 h & Lynn  
King Die been N 38 W  
17 Lk

Same as above

---

West between 7 14 & 19 of 65  
R 4 E Set 5 & 32

401100 Set  $1\frac{1}{4}$  Set post from  
which a Buck 10 ins. Die  
beams S. 7 W 16 L & ash 12  
ins. Die beam of 33 E 8 L

401100 Set post for corner of  
Set 31 & 32 of 19 of R 4 E  
from which a Buck 12 ins.  
Die beam S 77 E 16 L &  
Do 10 ins. Die beam of 37  
E 17 L

West between 7 18 & 19 of R 4  
E Set 6 & 31

391100 Creek 50 L S. E

401100 Set  $1\frac{1}{4}$  Set post from  
which a Buck 24 ins. Die  
beam S 36 W 25 L & Do  
10 Die beam of 25 E 13 L

78.24 intersect of S & I line 200  
feet S. post  
between R 30 4 E of 19 &  
14 of 8 set post for corner  
of 7 18 & 19 of R 30 4 E set  
1.6.31 & 36 from which a  
Buck 24 ins. Die beam of  
72 E 9 L & Do 24 ins. Die  
beam of 88 W 43 L

✓ Buck Head Timber Burr  
Jug in ex. & undergum  
Spice { Nov 29<sup>th</sup> 1819 }



66 North <sup>N. 5. 45</sup> Between R 384 E 219  
Set 31 & 36

26<sup>00</sup> Walnut 18 inch Diem

40<sup>00</sup> Set 1/4 post from which  
a ash 24 inch Diem beam  
S 29 W 21 L & Do 12 inch  
Diem beam N 43 E 56 L  
45<sup>00</sup> W. oak 24 inch Diem

50<sup>00</sup> Set post for corner of  
Set 25 & 36 from which  
a W oak 24 inch Diem  
beam S 44 W 4 L  
& Beech 18 inch Diem beam  
S 64 E 13 L

Rich Land Timber  
Rich Sugar ash oak &  
undergrowth Spice

North Between R 384 E 219  
Set 25 & 30

21<sup>45</sup> Hickory 12 inch Diem

40<sup>00</sup> Set 1/4 Set post from which  
a Beech 18 inch Diem beam  
N 60 W 26 L & ash 24 inch  
Diem beam S 67 E 15 L

51<sup>40</sup> Beech 18 inch Diem

62<sup>00</sup> Branch 15 L N. W.

80<sup>00</sup> Set post for corner of  
Set 24 & 25 & 19 & R 384  
from which a Beech 12 Diem  
beam N 59 W 15 L & Beech  
2 eye 10 inch Diem beam  
N 73 E 20 L  
Saraboe

North Between R 3 & 4 E 719

1180 Set 24 & 19  
Buck 24 inch Diam

401100 Set 1/4 Set post from where  
a Buck 10 inch Diam bears  
S 19 E 10 1/2 & W oak 40 inch  
Diam bears S 40 W 26 1/2

581160 Walnut 14 inch Dia

601100 Branch 10 1/2 S. E

801100 Set post for corner of sec  
13 & 24 719 N R 3 E from  
which a Elm 12 inch Dia  
bears N 80 W 27 1/2 & ash  
12 inch Dia bears N 58 E  
33 1/2

as above

North Between R 3 & 4 E 719

Set 13 & 18

21100 Branch 10 1/2 N. E

261100 Branch 10 1/2 N. E

401100 Set 1/4 Set post from where  
a Hickory 10 inch Dia bears  
S 48 E 4 1/2 & ash 10 inch Dia  
bears N 83 W 18 1/2

411150 Branch 10 1/2 N. E

641170 Buck 24 inch Dia

801100 Set post for corner of sec  
12 & 13 719 N R 3 E from  
which a W oak 24 Dia  
bears N 72 W 20 1/2 & sugar  
10 inch Dia bears N 70 E 19  
as above

North Between R 3442 719 W  
68 Set 78 12

40000 Set 1/4 port from which  
a ash 24 inch Die beam of  
66 27 1/2 Sugar 18 inch Die  
beam 886 W 23 1/2

80000 Set port for corner of  
Set 1412 719 W R 32  
from which a Beech 12 inch Die  
beam of 73 2 19 1/2 & W oak  
24 inch Die beam of 73 W  
30 1/2

3 as above

North Between R 3242 719  
W Set 18 6

40000 Set 1/4 Set port from  
which a Beech 12 inch Die  
beam of 18 W 14 1/2 & W  
Oak 24 inch Die beam  
of 72 2 1/2

81.00 Birch 1 1/2 W 2 1/2

83000 Set port for corner of  
19 20 W R 3442 Set  
1.6.31 4 36 from which a  
Walnut 24 inch Die beam  
of 70 2 22 1/2 & Beech 14  
inch Die beam of 86 W  
25 1/2

3 as above

West N 6.15

Between 7 18 & 19 of R  
32 Set 1836

69

5:1100 Branch 10 L - S. E

40:1100 Set 1/4 part from which  
a oak 46 inch dia bears  
60 E 16 L & 20 36 inch dia bears  
of 46 E 16 L

40:1100 Set part for corner of Set  
35 & 36 of 19 of R 32 from  
which a Beech 10 inch dia  
bears 12 W 20 L & iron with  
10 inch dia bears of 43 W 12 L  
Beech Land Timber Beech  
Sugar ash & undergrowth  
Shrub

West Between 7 18 & 19 of R 32 Set

40:1100 34 35  
Set 1/4 Set part from which  
a Beech 12 inch dia bears  
of 35 E 35 L & Hickory 4  
inch dia bears of 45 W  
29 L

40:1100 Set part for corner of  
Set 34 & 35 of 19 of R 32  
from which a ash 12 inch  
dia bears of 37 W 15 L  
& 10 inch dia bears  
of 58 E 15 L

B Timber as above

West Between 718800 & 718900  
70 32 S. 34 34

401100 Set 1/4 Sect post from  
which a Hubby 12 inch  
Dien beam of 13 W 8 1/2  
ironwood & Dien beam of  
21 E 20 h

401100 Set post for corner of  
Sect 33 & 34 T 19 N R 32  
from which a ash 12 inch  
Dien beam of 34 W 37 L  
& 20 1/2 inch Dien beam of  
45 E 4 h

3/4 as above

West Between 718900 & 719000  
32 S. 47 33

401100 Set 1/4 Sect post from which  
a Beech 4 inch Die beam of  
44 E 4 h & Sugar 12 inch  
beam of 75 W 25 h

53450 Creek 30 h S. W

401100 Set post for corner of  
Sect 32 & 33 T 19 N R 32  
from which a Beech 12 inch  
Dien beam of 47 E 3 L &  
Hubby 24 inch Dien beam of  
3 W 33 L

3 Land and timber as  
above

West between T 18 & 19 N R 3  
E Sect 5 & 32 71

401100 Set 1/4 Set post from  
which a Beech 12 inch Di-  
beers T 30 E 4 h & Sugar  
-amore 36 Di- beers

N 25 E 29 h  
901100 Set post for corner of  
Sect. 31 & 32 T 19 N R 3  
E from which a Sugar  
12 inch Di- beers T 35  
W 15 h & Oak 10 inch Di-  
beers N 7 E 39 h

as before

West between T 18 & 19 N  
R 3 E Sect 60 & 31

401100 Set 1/6 Set post from  
which a Beech 12 inch  
Di- beers N 28 E 3 h  
& Ironwood 4 inch Di-  
beers T 4 E 23 h

41176 intersect North line  
between R 2 & 3 E T 19  
N 3.93 h south of tim-  
-bering post and set post  
for corner of T 18 & 19 N R  
2 & 3 E Sect 1.6. 31 & 36  
from which a Oak 40 Di-  
beers T 70 E 13 h & Sugar  
12 inch Di- beers N 70 W 6 h  
as above



North <sup>N 5° 40'</sup> Between R 28 & 32 T 19  
72 N Sect 31 & 36

15/125 Sugar 12 inch Dies

40/100 Set 1/4 Sect port from  
which a Sugar 24 inch  
Dies bears S 15° E 14 1/2  
Do 24 inch Die bears W  
27 N 19 1/2

64/15 Beech 24 inch Die

40/100 Set port for corner of  
Sect 25-26 from which  
a Huby 10 inch Die bears  
N 75° W 18 1/2 & Do 8 inch Die  
bears S 75° E 12 1/2

3 Rich Land Timber Beech  
Sugar ash poplar & under  
= girth Spice

North Between R 28 & 32 T 19  
N Sect 25 & 30

40/100 Set 1/4 Sect port from  
which a ash 12 Die bears  
S 32° 19 L & Do 12 inch Die  
bears W 40° W 26 1/2

69/58 Beech - 12 inch Dies

40/100 Set port for corner of Sect  
24 & 25 T 19 of R 22 from  
which Elm 24 inch Die  
bears S 13° W 20 1/2 & Beech  
12 inch Die bears W 48° W  
14 1/2 as above



North Return 79 2 3 2 719  
at set 19 2 24

3200 Sugar - 24 in. D.

40000 Set 1/4 port from which a  
ash 24 in. Di. bears at 47  
W 24 L & Beech 8 Di.  
bears at 58 L 9 L

52000 Red oak 24 in. Di.

40000 Set port for corner of  
set 13 2 24 719 at R 2 L  
from which a Beech 24 in.  
Di. bears at 43 L 18 L &  
Lynn 12 Di. bears at 77 W  
3 L

3 as before

North Return R 2 2 3 2 719  
at set 13 2 18

40000 Set 1/4 set port from which  
a Oak 30 in. Di. bears  
at 27 W 28 L & Beech 12 in.  
Di. bears at 44 L 26 L

72000 Oak 24 in. Di.

80000 Set port for corner of set  
12 & 13 719 at R 2 L from  
which a Sugar 12 Di. bears  
at 41 W 18 L & Beech 10 Di.  
bears at 1 L 19 L

3 The same as above.

North Return R 223 E 219  
74 or Set 78 12

31125 M oak 4 1/2 inch Die

401100 Set 114 Set port from  
which a Elm 10 inch Die  
beats of 46 M 18 1/2 & Sugar  
24 inch Die beats of 70 E

401100 Set port for corner of  
Set 10 & 12 519 of R 2 E  
from which a Oak 24  
Di beats of 51 E 29 1/2 &  
ash 4 inch Die beats of  
87 M 18 1/2

3 as above.

North Return of R 243 E 27  
19 of Set 18 6

91110 Sugar 24 inch Die

401100 Set port for 111 Set from  
which a Lynn 12 inch Di  
beats of 24 M 16 1/2 & Sugar  
10 inch Di beats of 30 E 23

811195 Set port for corner of  
219 & 20 of R 243 E Set  
1.6.31 & 36 from which  
a ash 10 inch Di beats  
of 40 M 3 1/2 & Red 4 inch  
Di beats of 60 E 17 1/2

23

West Return <sup>15</sup> 7/18 & 19 of R 2  
E Set 1 & 36

401100 Set 1/4 port from which  
a Oak 40 inch Di bears  
5 E 12 L & ash 10 inch Di  
bears N 5 W 5 L

401100 Set port for corner of Set  
of Set 35 & 36 7/19 of R 2  
E from which a Sugar  
12 inch Di bears 16 E  
22 L & Elm 12 inch Di  
bears N 14 W 22 L

C 3 Rich Land timber  
Beech Sugar ash &c  
under growth Spruce

West Return 7/18 & 19 of R 2 E  
Set 2 & 35

401100 Set 1/4 Set port from  
which a Beech 10 inch  
Di bears N 63 E 5 L  
80 inch Di bears 16 E 15  
L

401100 Set port for corner of Set  
34 & 35 7/19 of R 2 E from  
which a Beech 10 Di  
bears 17 E 6 L &  
Oak 12 inch Di bears  
N 44 W 10 L

C 3 as above

Nest Between 2 18 & 19 of R  
76 R 2 E Set 3 & 34

231100 Creek 50 to J. W

361150 Branch 10 to J. W E

401100 Set 1/4 Set port from which  
a Elm 24 inch die bears  
N 80 E 15 to & Hickory 12  
inch die bears S 16 W 18 to

59150 Branch 8 to J. W

801100 Set port for corner of  
Set 33 & 34 of 19 of R 2  
E from which a Buck 10  
inch die bears S 48 E 23  
to & Hickory 24 inch die  
bears S 67 W 12 to  
Same as above

Nest Between 2 18 & 19 of R  
42 E Set 4 & 33

401100 Set 1/4 port from which  
a Sugar 12 inch die bears  
N 74 E 12 to & Lynn 12 inch  
die bears N 18 W 3 to

801100 Set port for corner of  
Set 32 & 33 of 19 of R 2 E  
from which a Buck  
24 die bears S 67 E 10 to  
& Hickory 24 inch die bears  
N 71 W 23 to

Same as above

West Between 7148 19 of R 2  
E Sect 5 & 32

401100 Set 1/4 Sect post from which  
a Elm 36 inch Di bears W  
71 W 16 L & Sugar 12 inch Di  
bears W 8 E 18 L

541150 Creek 25 L N. W

771150 Branch 15 L N E

801100 Set post for corner of Sect  
31 & 32 of 19 of R 2 E from  
which a Beech 12 inch Di  
bears S 34 E 36 L & Sugar  
12 inch Di bears N 14 W 10 L

as above

West Between 7148 19 of R 2  
E Sect 60 31

401100 Set 1/4 post from which a  
Elm 30 inch Di bears  
N 73 E 60 L & Oak 24  
inch Di bears S 73 W  
18 L

431114 Intersect of 4 of line 254

<sup>of Temporary</sup> between R 10 2 E of 18

N & set post for corner

of 7148 19 of R 10 2 E

set 1.6.31 & 36 from which

a Run 12 Di bears S 47 W

9 L & 30 N 18 E 29 L

as above



North <sup>W. 5° 30</sup> Between R. 1. 4. 2. E. T. 19. <sup>79</sup> 25  
 Sec. 36. 4. 31  
 21.50 a Beach 24' In Diomr  
 40.00 Set  $\frac{1}{4}$  Sec post from which  
 a Beach 15' In Diomr  
 S. 66. W. 14. Nks and do 12' In D.  
 hears. S. 24. E. 32. links  
 80.00 Set post for Corner of Sec  
 25. 4. 36. from which a W. Oak  
 24' In Diomr hears. S. 85. E. 16  
 Nks and an Ash 12' In Diomr  
 hears S. 4. W. 18. Nks Rich  
 Land timber Beach Sugar  
 Ash Oak and undergrowth  
 Spice

North Between R. 1. 4. 2. E. T. 19. N. 3. 25. & 30  
 44.00 Set  $\frac{1}{4}$  Sec post ~~from which~~  
 in prairie from which an  
 Elm 24' In Diomr hears  
 South 20.00 links  
 80.00 Set post for Corner of Sec  
 24. 4. 25. T. 19. N. R. 1. E.  
 from which a W. Oak hears  
 S. 70. W. 34. Nks. and a Cherry  
 hears S. 57. E. 27. Nks  
 Second rate Land timber  
 Oak Hickory Ash dogwood  
 and undergrowth Spice



80

North Between R. 14 2. E. T. 19. N. Sec 24 4.

32  
5.3219  
a m. oak 24. In D.

40.00

Set  $\frac{1}{4}$  Sec. post from which  
a Walnut 24. In. Diam. hears  
S. 70. W.  $\frac{1}{4}$  lks and a hickory  
12. In. Diam. hears S. 20. E. 16  
links

61.54

an Elm 24. In. Diam.

80.00

Set post for Corner of Sec  
13. 4. 24. T. 19. N. R. 1. E. from  
which a hickory 18. In. Diam.  
hears West 20. lks and do  
hears N. 45 E. 4. lks  
as aboveNorth Between R. 14 2. E. T. 19. N. Sec  
13. 4. 15

30.12

a Lyrn 12. In. Diam.

40.00

Set  $\frac{1}{4}$  Sec post from which  
a maple 12. In. D. hears  
N. 63. W.  $\frac{1}{4}$  26. lks and a hie  
ory 10 In Diam. hears N. 82.  
E. 13 lks.

71.54

an ash 12. In. Diam.

80.00

Set post for Corner of Sec  
12. 4. 13. T. 19. N. R. 1. E. from  
which an ash 12. In. Diam.  
hears S. 32. E. 6. lks and do. 18  
In. Diam. hears N. 32. W.  
14. lks. as above

North Between R 14 2. E. T. 19. 81  
S. 12. 8. 7.

3745 a R. Oak 24' In Diomr.  
4000 Set 1/4 Sec post from which  
a R. Oak 50' In. D. hears  
S 61. E. 2. lks. and an Alb  
hears. S. 59. W. 8 lks.

5840 a R. Oak 24' In. Diomr.  
80.00 Set post for corner of Sec  
14. 2. T. 19. 81. R. 1. E. from  
which an Elm 8' In. Diomr  
hears 8. 60. W. 3. lks and a  
Lyme 10' In. Diomr hears  
S. 60. E. 3 lks. as above

---

North Between R 14 2. E. T. 19. 81 Sec  
14. 6

23.25 a Beach 12' In. Di

40.00 Set 1/4 Sec post from which  
a Beach 10' In. Di. hears S 86. W.  
24 lks and a Sugar 15' In  
Di. hears S. 79. E. 73 lks

7846 Set post for corner of T. 19 20.  
81 R. 14 2. E. Sec. 1. 6. 31. 4. 36.  
from which a Beach 24' In  
hears S. 76. E. 27. links and  
do. 12' In. Diomr hears 8. 60. W.  
20. lks. Rich Lane timber  
Beach Sugar and under  
growth Spice

Nest N 6.13  
between of 18819 & N12

Set 1036

401100 Set 1/4 Set port from which  
a Beech 18 inth Die bears  
W 71 N 8 1/2 & Hueby 18 inth  
Die bears 48 E 7 1/2

101100 Set port for corner of  
Set 35 & 36 from which  
a poplar 18 inth Die  
bears 15 E 15 1/2 & R  
oak 10 inth Die bears  
44 E 27 1/2

Low wet Land Timber  
ash maple &c

Nest between of 18819 &  
N12 Set 2035

401100 Set 1/4 Set port for ~~corner~~  
of set from which a  
Hueby 24 Die bears 114  
E 25 1/2 & ash 10 inth Die  
bears W 41 N 30 1/2

401100 Set port for corner of set  
348 35 & 19 & N12 from  
which a Elm 24 inth Die  
bears West

Low wet Land  
timber ash &c

West between 718 & 19 of R1  
E set 3 & 34

401100 set 1/4 set port from  
which a Wack 18 inch Di  
beers of 41 E 30 h & Sisco  
10 inch Die beers of 58 E  
24 h

801100 set port for corner of  
set 33 & 34 719 of R1 E  
from which a Sugar 12 Di  
beers of 3 W 15 h & ash  
18 inch Die beers of 3 E  
19 h

3 Rich Land Timber Duck  
ash Sugar & underground  
Spice

West between 714 & 19 of R  
1 E set 4 & 33

401100 set 1/4 set port from  
which a Walnut 24 inch  
Die beers of 77 E 18 h &  
Sugar 12 inch Die beers  
of 37 W 19 h

401100 set port for corner of  
set 32 & 33 719 of R1 E  
from which a Rock 18 inch  
Die beers of 5 W 23 h &  
ironwood 10 inch Die  
beers of 45 E 4 h

3 as above

West between of 14 & 19 or R  
84 12 Set 5 & 32

401100 Set  $\frac{1}{4}$  post from which  
a Elm 36 inch Di bears  
W 12 W 27 L & Hueby 11  
10 inch Di bears S 50 E 6  
L

401100 Set post from ~~which~~  
for corner of Set 31 & 32  
from which a Oak 12 D  
bears W 81 E 54 L & Elm  
24 inch Di bears S 81 W  
30 L


as above

---

West between of 14 & 19 or R  
12 Set 6 & 31

401100 Set  $\frac{1}{4}$  post from which  
a Beech 14 inch Di bears  
S 39 W 10 L & Do 12 inch  
Di bears W 39 E 10 L

751150 intersect Maredean at  
The Town corner



the  
Camp

1

2